

ZICO®

LIGHTING
WORLDWIDE



YOUR PREMIUM LIGHTING SOLUTIONS PARTNER
2023 COLLECTION



ANNABEL'S PRIVATE MEMBER'S CLUB, LONDON

DISCOVER EXCEPTIONAL

Zico Lighting was founded in 2011 by lighting specialist James Miller when he realised the light bulbs he was distributing weren't meeting the stringent quality standards of his high-end hospitality clients. His solution? To set up his own company manufacturing superior quality LED filament light bulbs to meet the specific needs of the hospitality industry. And so Zico Lighting was born.

Today, Zico Lighting brand is synonymous to excellent quality, exceptional service standards and industry expertise, with our products featured in the world's finest hotels, restaurants, historic buildings and private residences.

We are proud to have long-standing, established relationships with some of the industry's top interior designers, lighting designers and architects, delivering complete lighting solutions for their exquisite interiors. Our online store also supports discerning customers looking for the best quality of light for their home.

We invite you to browse through this brochure and discover the difference between good and exceptional.

GLASS SHAPES



GLS CANDLE FRENCH CANDLE FLAME TIP GOLFBALL SQUIRREL CAGE



GLOBE RADIO TUBE PIGMY GU10 G4 G9

FINISHES



CLEAR FROSTED PORCELAIN AMBER SILVER MIRRORED GOLD MIRRORED

SOCKETS



E14 E27 B15 B22 G4 G9



ANNABEL'S PRIVATE MEMBER'S CLUB, LONDON



AQUAVIT LONDON

PREMIUM FEATURES



ULTRA DIMMABLE: LEADING AND TRAILING EDGE

Zico Lighting LED lamps use highly sophisticated components. The result is an incredibly smooth dimming curve that works flawlessly across virtually all global mains dimming and control systems, delivering dimming to zero as a traditional halogen lamp.



FLICKER FREE

Through firm commitment to quality of materials and craftsmanship, Zico Lighting lamps are able to deliver consistently flicker free lighting. This technology is perfect for film and theatres, wellness centres and spas, gaming organisations, security camera operation, animal welfare and general health and wellness lighting for home and office.



HIGH CRI

With Colour Rendering Index (CRI) of up to 95 Zico Lighting lamps closely mimic natural daylight, creating a restful ambience, while perfectly showcasing depth and vividity of colours within the interior.



UP TO 3 YEAR WARRANTY

By using highly specified components and latest technologies in every Zico Lighting lamp we create a premium product you can rely on. For additional peace of mind, all of our products come with 2 or 3-year like for like replacement warranty.



DIM-TO-WARM RANGE

Transform the space to match the mood with our Dim-to-Warm range. Instead of simply adjusting brightness, these lamps change the colour temperature when dimmed to create perfect ambience every time.



CANDLE C35 2000 - 2800K

DIMMABLE: LEADING & TRAILING EDGE

CRI	90
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	100 X 35MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK008T/4WDWE14C	CLEAR	300	4	E14	
ZIK008T/4WDWE14F	FROSTED	300	4	E14	
ZIK008T/4WDWE14P	PORCELAIN	250	4	E14	



GOLFBALL G45 2000 - 2800K

DIMMABLE: LEADING & TRAILING EDGE

CRI	90
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	75 X 45MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK017T/4WDWE27C	CLEAR	300	4	E27	
ZIK017T/4WDWE27F	FROSTED	300	4	E27	
ZIK017T/4WDWE27P	PORCELAIN	250	4	E27	

Use Dim-to-Warm to create versatile lighting that supports your daily life. Dim the lights for warmer candle-like glow, perfect for cosy evenings and relaxing, or brighten them up for cooler white light, to support daytime activities.



GLS A60 2000 - 2800K

DIMMABLE: LEADING & TRAILING EDGE

CRI	90
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	110 X 60MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK031T/6WDWE27C	CLEAR	450	6	E27	
ZIK031T/6WDWE27F	FROSTED	425	6	E27	
ZIK031T/6WDWE27P	PORCELAIN	450	6	E27	



GLOBE G95 2000 - 2800K

DIMMABLE: LEADING & TRAILING EDGE

CRI	90
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	140 X 95MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIKD048T/6WDWE27C	CLEAR	450	6	E27	
ZIKD048T/6WDWE27F	FROSTED	420	6	E27	
ZIKD048T/6WDWE27P	PORCELAIN	430	6	E27	



HELIX RANGE

A collection of ultra-dimmable LED filament lamps, complete with the top of the range Helix soft filaments and amber glass finish for a truly stunning decorative feature. These lamps come in five shapes and are fitted with best quality, industry-rated flicker-free technology for flawless dimming.

CANDLE C35 2000K


DIMMABLE: LEADING & TRAILING EDGE

CRI	95
GLASS FINISH	AMBER
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	100 X35MM



Aquila
DESIGN

MODEL	LAMP SHAPE	LUMEN	WATTS	SOCKET	ENERGY
ZIK008H/2W22E14A	CANDLE C35	120	2	E14	





SPHERES 2000K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
GLASS FINISH	AMBER
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°

DIMENSIONS 140 X 95MM / 110 X 60MM / 75 X 45 MM



Aquila
BY ZICO LIGHTING

MODEL	LAMP SHAPE	LUMEN	WATTS	SOCKET	ENERGY
ZIKD048H/4W22E27A	GLOBE G95	160	4	E27	
ZIK031H/4W22E27A	GLS A60	160	4	E27	
ZIK017H/2W22E27A	GOLFBALL G45	120	2	E27	

SQUIRREL CAGE ST64 2000K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	140 X 64MM



Aquila
BY ZICO LIGHTING

MODEL	LAMP SHAPE	LUMEN	WATTS	SOCKET	ENERGY
ZIKD044H/4W22E27A	SQUIRREL CAGE	160	4	E27	



CANDLE C35

Decorative, ultra-dimmable LED filament lamp in a Candle shape, fitted with top, industry-rated flicker-free technology and 3 years warranty. This lamp comes in a choice of 3 temperatures as well as a dim to warm option.

CANDLE C35 2000K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	100 X 35MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK008/4W22B15A	AMBER	250	4	B15	
ZIK008/4W22B22A	AMBER	250	4	B22	
ZIK008/4W22E14A	AMBER	250	4	E14	
ZIK008/4W22E27A	AMBER	250	4	E27	



CANDLE C35 2200K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	100 X 35MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK008/4W22B15C	CLEAR	280	4	B15	
ZIK008/4W22B22C	CLEAR	280	4	B22	
ZIK008/4W22E14C	CLEAR	280	4	E14	
ZIK008/4W22E27C	CLEAR	280	4	E27	
ZIK008S/6W22E14C	CLEAR	370	6	E14	
ZIK008/4W22E14F	FROSTED	250	4	E14	



FOUR SEASONS ASTIR PALACE, ATHENS



CANDLE C35 2700K

DIMMABLE: LEADING & TRAILING EDGE

CRI	90
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	100 X 35MM



Aquila
BY ZICO LIGHTING

MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK008L/4W27B15C	CLEAR	360	4	B15	F A+ G
ZIK008/4W27B22C	CLEAR	400	4	B22	F A+ G
ZIK008L/4W27E14C	CLEAR	360	4	E14	F A+ G
ZIK008/4W27E27C	CLEAR	400	4	E27	F A+ G
ZIK008S/6W27B15C	CLEAR	490	6	B15	G A+ G
ZIK008S/6W27B22C	CLEAR	490	6	B22	G A+ G
ZIK008S/6W27E14C	CLEAR	490	6	E14	G A+ G
ZIK008S/6W27E27C	CLEAR	490	6	E27	G A+ G
ZIK008/2W27E14F	FROSTED	170	2	E14	F A+ G
ZIK008/4W27E14F	FROSTED	360	4	E14	F A+ G
ZIK008/4W27E27F	FROSTED	360	4	E27	F A+ G
ZIK008/4W27E14P	PORCELAIN	300	4	E14	G A+ G

FRENCH CANDLE C22

CLARIDGE'S

FRENCH CANDLE C22 2200K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	86 X 22MM



Aquila

MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK075/2W22E10C	CLEAR	150	2	E10	
ZIK075/2W22E14C	CLEAR	150	2	E14	

FRENCH CANDLE C22 2700K

DIMMABLE: LEADING & TRAILING EDGE

CRI	90
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	86 X 22MM



Aquila

This petite candle shape is particularly popular for use in antique chandeliers requiring smaller base cap options.

MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK075/2W27E10C	CLEAR	180	2	E10	
ZIK075/2W27E14C	CLEAR	180	2	E14	

FLAME TIP CANDLE C35

Decorative, ultra-dimmable LED filament lamp in a Flame Tip Candle shape, fitted with top, industry-rated flicker-free technology and 3 years warranty. This lamp comes in a choice of 2 temperatures.

FLAME TIP CANDLE C35 2200K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	120 X 35MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK008FT/4W22E14C	CLEAR	280	4	E14	
ZIK008FT/6W22E14C	CLEAR	420	6	E14	

The artistic feel of the Flame Tip Candle shape is particularly popular for use in chandeliers to create an illusion of real candles.

FLAME TIP CANDLE C35 2700K

DIMMABLE: LEADING & TRAILING EDGE

CRI	90
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	120 X 35MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK008FT/4W27E14C	CLEAR	400	4	E14	
ZIK008FT/6W27E14C	CLEAR	490	6	E14	



ST MARTIN OF TOURS CHURCH, EPSOM



THE NED HOTEL

GOLFBALL G45

Decorative, ultra-dimmable LED filament lamp in a Golfball shape, fitted with top, industry-rated flicker-free technology and 3 years warranty. This lamp comes in a choice of 6 glass finishes, 3 temperatures as well as a dim to warm option.

GOLFBALL G45 2000K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	75 X45MM



Aquila
LIGHTING

MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK017/4W22B22A	AMBER	230	4	B22	
ZIK017/4W22E14A	AMBER	230	4	E14	
ZIK017/4W22E27A	AMBER	230	4	E27	



GOLFBALL G45 2200K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	75 X45MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK017/4W22E14C	CLEAR	280	4	E14	
ZIK017/4W22E27C	CLEAR	280	4	E27	
ZIK017/4W22B22C	CLEAR	280	4	B22	
ZIK017/4W22E14F	FROSTED	250	4	E14	
ZIK017/4W22E27F	FROSTED	250	4	E27	
ZIK017/4W22E14G	GOLD MIRRORRED	270	4	E14	
ZIK017/4W22E27G	GOLD MIRRORRED	270	4	E27	



GOLFBALL G45 2700K

DIMMABLE: LEADING & TRAILING EDGE

CRI	90
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	75 X45MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK017/4W27B22C	CLEAR	400	4	B22	
ZIK017/4W27E14C	CLEAR	400	4	E14	
ZIK017/4W27E27C	CLEAR	400	4	E27	
ZIK017/4W27E14F	FROSTED	360	4	E14	
ZIK017/4W27E27F	FROSTED	360	4	E27	
ZIK017/4W27E14P	PORCELAIN	300	4	E14	
ZIK017/4W27E27P	PORCELAIN	300	4	E27	
ZIK017/4W27E14S	SILVER MIRRORRED	375	4	E27	
ZIK017/4W27E27S	SILVER MIRRORRED	375	4	E27	

GLS A60

Decorative, ultra-dimmable LED filament lamp in GLS shape, fitted with top, industry-rated flicker-free technology and 3 years warranty. This lamp comes in a choice of 3 temperatures as well as a dim to warm option.

GLS A60 2000K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	110 X 60MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK031/4W22E27A	AMBER	300	4	E27	
ZIK031/6W22B22A	AMBER	400	6	B22	
ZIK031L/6W22E27A	AMBER	400	6	E27	



GLS A60 2200K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	110 X 60MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK031/6W22B22C	CLEAR	410	6	B22	
ZIK031/6W22E27C	CLEAR	410	6	E27	
ZIK031/6W22B22F	FROSTED	330	6	B22	
ZIK031/6W22E27F	FROSTED	330	6	E27	
ZIK031/6W22E27G	GOLD MIRROR	410	6	E27	



GLS A60 2700K

DIMMABLE: LEADING & TRAILING EDGE

CRI	90
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	110 X 60MM



Aquila
BY ZICO LIGHTING

MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK031/2W27E27C	CLEAR	180	2	E27	
ZIK031/6W27B22C	CLEAR	650	6	B22	
ZIK031/6W27E27C	CLEAR	650	6	E27	
ZIK031/8W27E27C	CLEAR	800	8	E27	
ZIK031/6W27E27F	FROSTED	510	6	E27	
ZIK031/6W27E27P	PORCELAIN	500	6	E27	
ZIK031/6W27E27S	SILVER MIRRORRED	550	6	E27	

ZICO
LIGHTING
WORLDWIDE
GLS A60



GLOBE G95 / G125

Decorative, ultra-dimmable LED filament lamp in a large Globe shape. This lamp is fitted with top, industry-rated flicker-free technology and comes with 3 years warranty.

GLOBE G95 / G125 2000K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
GLASS FINISH	AMBER
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	140 X 95MM / 175 X 125MM



MODEL	LAMP SHAPE	LUMEN	WATTS	SOCKET	ENERGY
ZIKD048/6W22E27A	G95 GLOBE	370	6	E27	
ZIKG125/6W22E27A	G125 GLOBE	390	6	E27	

The oversized artistic shape of the Globe, paired with the glowing light of the filaments, makes a stunning feature and is ideally suited for light fittings designed to show the lightbulb.

GLOBE G95 2200K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	140 X 95MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIKD048/6W22E27C	CLEAR	485	6	E27	
ZIKD048/6W22E27G	GOLD MIRROR	410	6	E27	

GLOBE G95 2700K

DIMMABLE: LEADING & TRAILING EDGE

CRI	90
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	140 X 95MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIKD048/6W27E27P	PORCELAIN	440	6	E27	
ZIKD048/6W27E27S	SILVER MIRROR	550	6	E27	



14 HILLS BAR & RESTAURANT, LONDON

GLOBE G125 2200K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	175 X 125MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIKG125/6W22E27C	CLEAR	485	6	E27	

RADIO T45

RADIO T45 2000K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	110 X 45MM



RADIO T45 2200K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	110 X 45MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIKD059/4.5W22E27A	AMBER	260	4.5	E27	

MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIKD059/4.5W22E27C	CLEAR	370	4.5	E27	

SQUIRREL CAGE ST64

Decorative, ultra-dimmable LED filament lamp in a Squirrel Cage shape, fitted with top, industry-rated flicker-free technology and 3 years warranty. This lamp comes in a choice of 2 temperatures and 2 glass finish options.

SQUIRREL CAGE ST64 2000K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	140 X 64MM




MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIKD044/2W22E27A	AMBER	120	2	E27	
ZIKD044/4W22E27A	AMBER	300	4	E27	
ZIKD044/6W22B22A	AMBER	450	6	B22	
ZIKD044/6W22E27A	AMBER	450	6	E27	

Zico Amber finish 2000K lamps are perfect for ambient lighting to create warm, relaxed interiors, ideally suited for evening dining. For spaces requiring cooler, more alert lighting, opt for Clear finish 2700K lamp.

SQUIRREL CAGE ST64 2200K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	140 X 64MM




MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIKD044/6W22E27C	CLEAR	545	6	E27	

SQUIRREL CAGE ST64 2700K

DIMMABLE: LEADING & TRAILING EDGE

CRI	90
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	140 X 64MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIKD044/6W27E27C	CLEAR	600	6	E27	

TUBE T20

Decorative, ultra-dimmable LED filament lamp in a Tube shape, fitted with top, industry-rated flicker-free technology and 3 years warranty. This lamp comes in a choice of 2 temperatures and 2 glass finish options.

TUBE T20 2000K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	115 X 20MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIKD020/2.7W22E14A	AMBER	150	2.7	E14	

With high CRI 95 Zico lamps closely mimic natural daylight making it more relaxing for human eye to process. Taking stress of eyes in turn supports better rest and elevates general mood.

TUBE T20 2200K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	115 X 20MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIKD020/2.7W22E14C	CLEAR	180	2.7	E14	



TUBE T30

Decorative, ultra-dimmable LED filament lamp, fitted with top, industry-rated flicker-free technology and 3 years warranty. This lamp comes in T20 or T30 with 3 size options.



TUBE T30 2000K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
GLASS FINISH	AMBER
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	185 x 30MM / 300 x 30MM



MODEL	LAMP SHAPE	LUMEN	WATTS	SOCKET	ENERGY
ZIKD062/6W22E27A	T30 185MM	400	6	E27	
ZIKD067/6W22E27A	T30 300MM	370	6	E27	



TUBE T30 2200K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
GLASS FINISH	CLEAR
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	185 x 30 MM / 300 X 30MM



MODEL	LAMP SHAPE	LUMEN	WATTS	SOCKET	ENERGY
ZIKD062/6W22E27C	T30 185MM	450	6	E27	
ZIKD067/6W22E27C	T30 300MM	485	6	E27	



TUBE T30 2700K

DIMMABLE: LEADING & TRAILING EDGE

CRI	90
GLASS FINISH	CLEAR
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	185 x 30MM / 300 X 30MM



MODEL	LAMP SHAPE	LUMEN	WATTS	SOCKET	ENERGY
ZIKD062/6W27E27C	T30 185MM	520	6	E27	
ZIKD067/6W27E27C	T30 300MM	525	6	E27	

PYGMY ST26

BAUR'S BRASSERIE & BAR, ZURICH

PYGMY ST26 2000K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	58 X 26MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK071/1W22E14A	AMBER	60	1	E14	

PYGMY ST26 2200K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	58 X 26MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK071/1W22B15C	CLEAR	70	1	B15	
ZIK071/1W22E14C	CLEAR	70	1	E14	

PYGMY ST26 2700K

DIMMABLE: LEADING & TRAILING EDGE

CRI	90
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	58 X 26MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK071/1W27B15C	CLEAR	90	1	B15	
ZIK071/1W27E14C	CLEAR	90	1	E14	



G9 2200K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	70 X 17.8MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK070S/3W22G9C	CLEAR	200	3	G9	
ZIK070S/3W22G9F	FROSTED	165	3	G9	

G9 2000K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	70 X 17.8MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK070S/3W22G9A	AMBER	200	3	G9	

G9 2700K

DIMMABLE: LEADING & TRAILING EDGE

CRI	90
LIFETIME HRS	30,000
ON/ OFF CYCLES	100,000
WARRANTY	3 YEARS
VOLTAGE	220V-240V
HZ	50/60HZ
IN RUSH PROTECTION	3,000V
BEAM ANGLE	360°
DIMENSIONS	70 X 17.8MM



MODEL	GLASS FINISH	LUMEN	WATTS	SOCKET	ENERGY
ZIK070S/3W27G9C	CLEAR	250	3	G9	
ZIK070S/3W27G9F	FROSTED	220	3	G9	

CAPSULE G4

Decorative, ultra-dimmable LED filament lamp in a G4 shape, fitted with top, industry-rated flicker-free technology and 2 years warranty. This lamp dims best, when connected to Zico Lighting transformer and is sold as a pack of 10 lamps.

CAPSULE G4 2700K

DIMMABLE:
YES, WITH ZICO CONSTANT VOLTAGE DRIVER

CRI	90
GLASS FINISH	CLEAR
LIFETIME HRS	20,000
WARRANTY	2 YEARS
POWER FACTOR	>0.65
VOLTAGE	12V
HZ	50/60HZ
BEAM ANGLE	360°
DIMENSIONS	10 X 37.5MM



MODEL	LAPS PER PACK	LUMEN	WATTS	SOCKET	ENERGY
ZIHP/1.5W27G4COB-12V10PK	10	100	1.5	G4	

* Dimming range depends on the quality of the dimmer. Minimum load 2 x G4 Lamps.

TRIAC CONSTANT VOLTAGE DIMMABLE DRIVER

Designed especially for powering LED lights this Triac dimmable LED driver is perfect for use with smaller lamps, such as Zico Lighting G4 Capsule and comes with 5 years warranty.

DIMMABLE: LEADING & TRAILING EDGE

INPUT VOLTAGE	180 - 240V/AC
INPUT CURRENT	0.12A max
AC FREQUENCY	50 / 60HZ
OUTPUT CURRENT	1500mA
OUTPUT POWER	20W
ON LOAD VOLTAGE	12V
LIFETIME	50,000H
DIMENSIONS	100 X 36 X 18MM



MODEL	WATTS	VOLTS	DIMMING
ZIHTDRCV/12W12V	20W	12V	5 - 100%

GU10 COLOUR BALANCE

Our Colour Balance line uses the latest technology to deliver high quality, balanced lighting, close to natural daylight. With CRI 95 and R9 ca.90, these spotlights aim to breach the gap between natural and artificial light, showcasing the true colours of the interior.

This ultra-dimmable LED spotlight, comes in a choice of 2 temperatures as well as a dim to warm option.

GU10 2200K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
R9	ca.90
LIFETIME HRS	25,000
ON/ OFF CYCLES	15,000
WARRANTY	2 YEARS
VOLTAGE	220V-240V
HZ	50/60 HZ
IN RUSH PROTECTION	0.5KV
DIMENSIONS	56 X 50MM
CASING	BLACK



MODEL	BEAM ANGLE	LUMEN	WATTS	GLASS FINISH	ENERGY
ZFXGU10/7W2210B	10°	350	7	CLEAR	
ZFXGU10/7W2224B	24°	380	7	CLEAR	
ZFXGU10/7W2236B	36°	400	7	CLEAR	

* Please note, these products are for indoor use only.

GU10 2700K

DIMMABLE: LEADING & TRAILING EDGE

CRI	95
R9	ca.90
LIFETIME HRS	25,000
ON/ OFF CYCLES	15,000
WARRANTY	2 YEARS
VOLTAGE	220V-240V
HZ	50/60 HZ
IN RUSH PROTECTION	0.5KV
DIMENSIONS	56 X 50MM
CASING	BLACK



MODEL	BEAM ANGLE	LUMEN	WATTS	GLASS FINISH	ENERGY
ZFXGU10/7W2710B	10°	400	7	CLEAR	
ZFXGU10/7W2724B	24°	450	7	CLEAR	
ZFXGU10/7W2736B	36°	450	7	CLEAR	

GU10 DIM TO WARM

DIMMABLE: LEADING & TRAILING EDGE


CRI	95
R9	ca.90
TEMPERATURE	2000K - 3000K
LIFETIME HRS	25,000H
ON/ OFF CYCLES	15,000
WARRANTY	2 YEARS
VOLTAGE	220V-240V
HZ	50/60 HZ
IN RUSH PROTECTION	0.5KV
DIMENSIONS	56 X 50MM
CASING	BLACK



MODEL	BEAM ANGLE	LUMEN	WATTS	GLASS FINISH	ENERGY
ZFXGU10/7WDW24B	24°	380	7	CLEAR	
ZFXGU10/7WDW36B	36°	380	7	CLEAR	

MULTI-WAY LED DIMMER MODULE

Designed for switching and dimming dimmable LED lamps as well as incandescent lamps, HV halogen lamps and transformers with halogen lamps this multi-way LED dimmer module is great for mixed loads with multi-way control.



DIMMING METHOD: TRAILING & LEADING EDGE PHASE CONTROL

AUTO-DETECT LOAD TYPE	YES
MULTI- WAYCONTROL	YES
RATED VOLTAGE	AC 220-240 V ~ , 50HZ
CONNECTED LOAD	3VA - 300VA (1-15LEDS,MAX.250W)
CONNECTION	SCREW TERMINAL
DIMENSIONS	63 X 26 X 22MM

MODEL	WATTS	VOLTS	CURRENT
ZFXSEPD300I	12W	12V	1A

ZICO® by *anytronic*s – DIMMING AND CONTROLS

Designed and manufactured in the UK since 1985, ZICO by Anytronic is specified and highly regarded by lighting specialists in the film industry, theatres and cinemas, where impeccable lighting is paramount to success.

We are thrilled to introduce this highly thought after solution to hospitality and residential projects.



**EXCELLENT
PERFORMANCE**



**MANUFACTURER
WARRANTY**



**DEDICATED
SUPPORT TEAM**

DISCOVER DIMMING SYSTEM THAT DELIVERS:

- > Cost effective solution for flawless dimming
- > Excellent performance across the range of lamps, spotlights, architectural lighting and LED tape
- > Easy installation that can be performed by any qualified engineer
- > Setting the lighting levels and controls can be completed by hotel maintenance department or property owner
- > Fully digital set up for quick and easy upgrades
- > Scalable to suit large and small projects
- > Works with all DMX devices
- > 3 years manufacturer warranty
- > Dedicated support team to guide through installation and after-care.



FULLY COMPATIBLE WITH FORBES & LOMAX DESIGNER SWITCHES

COMPLETE SOLUTION TO SUPPORT YOUR DESIGN



ZICO
by anytronics
DIMMING & CONTROLS

THE LIBERTINE, LONDON

NOT SURE WHAT YOU NEED?

Our team of experts are on hand to guide you through, from planning to installation and commissioning.

COMMISSIONING



Using a USB dongle connect any laptop to the Control Centre to commission the system or adjust the settings.

PIR & DUSK SENSORS

Add light and movement sensors to adjust lighting automatically.



SWITCH PLATES

Opt for one of in-house outstations for easy day-to-day lighting control. Or...



DESIGNER SWITCHES



... complement your interior with fully compatible momentary switches from designer brands like Forbes and Lomax.

ANYLIGHT WI-FI EXPANSION MODULE

Adjust your lighting through a phone app or voice activated commands with this plug-in module to Control Centre. Fully compatible with Amazon Alexa and Google.



ANYLIGHT CONTROL CENTRE

Your dimming system's 'brain', controlling up to 512 circuits and 512 unique preset lighting scenes.




PWM LED TAPE DRIVER

Expand your design with connection to LED tape lighting.



DIMMING PACK

Relax as Dimming Pack adjusts lighting levels to create your chosen scene.



LED TAPE

Accentuate discreetly with the in-house selection of high-quality LED tape lights.

LAMPS

Showcase the interior design with Zico's top quality dimmable decorative LED lamps.



SPOTLIGHTS

Emphasise interior features with a full selection of spotlights.

ARCHITECTURAL LIGHTS

Redefine the space with architectural lighting from best brands.



FANTASTIC SOUND QUALITY IN ANY ROOM

LITHEAUDIO

MEET THE **NEW GENERATION OF SPEAKERS** AND ENJOY LISTENING TO MUSIC FROM YOUR DEVICE WITH THE EXCELLENT SOUND QUALITY.

Lithe Audio Bluetooth Ceiling Speaker is an all-in-one solution for playing music directly from your device – in homes, hotel rooms, coffee shops, hair salons and spas.

Just connect the power via your lighting circuit, or simply plug into a plug socket if you prefer, then pair your tablet, smartphone or Amazon Echo and you are ready to enjoy the quality sounds of your choice.

Zico Lighting is an authorised global agent for Lithe Audio.



- > AMPLIFIER & BLUETOOTH BUILT-IN, SO ALL YOU NEED IS POWER
- > WORKS WITH ANY BLUETOOTH ENABLED PHONE, TABLET OR COMPUTER
- > FULLY COMPATIBLE WITH AMAZON ECHO AND GOOGLE HOME DEVICES
- > FAST & EASY INSTALLATION; CONNECTS TO YOUR LIGHTING CIRCUIT OR SIMPLY PLUG IN
- > FULLY SYNCHRONIZED AUDIO AND VIDEO



BLUETOOTH SPEAKERS

Easy to install, the speaker offers fantastic sound quality – its small size and discreet appearance would blend in with any décor and work in the smallest of spaces.



INPUTS	BLUETOOTH V4.0 OR ANALOG (RCA)
WORKS WITH	ALL BLUETOOTH DEVICES
WIRELESS RANGE	UP TO 10M
SOUND QUALITY	THD+N<0.009%, 65HZ-20KHZ
SENSITIVITY (1W/1M)	90DB
POWER SUPPLY INPUT	100-240V, 50-60HZ
POWER SUPPLY OUTPUT	DC24V / 25A
DIMENSIONS	230 X 100MM



LITHEAUDIO

MODEL	PRODUCT	WATERPROOF
ZRT03200	BLUETOOTH CEILING SPEAKER (SINGLE - MASTER)	
ZRT03201	BLUETOOTH CEILING SPEAKER (PAIR)	
ZRT03210	BLUETOOTH IP44 RATED CEILING SPEAKER (SINGLE - MASTER)	X
ZRT03211	BLUETOOTH IP44 RATED CEILING SPEAKER (PAIR)	X
ZRT03202	BLUETOOTH CEILING SPEAKER (2 MASTER AND 2 PASSIVES)	
ZRT03203	BLUETOOTH CEILING SPEAKER (3 MASTER AND 3 PASSIVES)	

DIM-TO-WARM RANGE

CANDLE 4W	9
GOLFBALL 4W	9
GLS 6W	10
GLOBE 6W	10

HELIX RANGE

CANDLE AMBER 2W	12
GOLFBALL AMBER 2W	13
GLS AMBER 4W	13
GLOBE AMBER 4W	13
SQUIRREL CAGE 4W	13

CANDLE C35

AMBER 4W 2000K	14
CLEAR 4W 2200K	14
CLEAR 4W 2700K	15
CLEAR 6W 2200K	14
CLEAR 6W 2700K	15
FROSTED 2W 2700K	15
FROSTED 4W 2200K	14
FROSTED 4W 2700K	15
PORCELAIN 4W 2700K	15

FRENCH CANDLE C22

CLEAR 2W 2200K	16
CLEAR 2W 2700K	16

FLAME TIP CANDLE C35

CLEAR 4W 2200K	17
CLEAR 4W 2700K	17
CLEAR 6W 2200K	17
CLEAR 6W 2700K	17

GOLFBALL G45

AMBER 4W 2000K	18
CLEAR 4W 2200K	19
CLEAR 4W 2700K	19
FROSTED 4W 2200K	19
FROSTED 4W 2700K	19
PORCELAIN 4W 2700K	19
GOLD MIRRORED 4W 2200K	19
SILVER MIRRORED 4W 2700K	19

GLS A60

AMBER 6W 2000K	20
CLEAR 2W 2700K	21
CLEAR 6W 2200K	20
CLEAR 6W 2700K	21
CLEAR 8W 2700K	21
FROSTED 6W 2200K	20
FROSTED 6W 2700K	21
PORCELAIN 6W 2700K	21
GOLD MIRRORED 6W 2200K	20
SILVER MIRRORED 6W 2700K	21

GLOBE G95

AMBER 6W 2000K	22
PORCELAIN 6W 2700K	23
GOLD MIRRORED 6W 2200K	23
SILVER MIRRORED 6W 2700K	23

GLOBE G125

AMBER 6W 2000K	22
CLEAR 6W 2200K	23

RADIO T45

AMBER 4.5W 2000K	24
CLEAR 4.5W 2200K	24

SQUIRREL CAGE ST64

AMBER 2W 2000K	25
AMBER 4W 2000K	25
AMBER 6W 2000K	25
CLEAR 6W 2200K	25
CLEAR 6W 2700K	25

PYGMY ST26

AMBER 1W 2000K	28
CLEAR 1W 2200K	28
CLEAR 1W 2700K	28

TUBE T20

AMBER 2.7W 2000K	26
CLEAR 2.7W 2200K	26

TUBE T30 185mm

AMBER 6W 2000K	27
CLEAR 6W 2200K	27
CLEAR 6W 2700K	27

TUBE T30 300mm

AMBER 6W 2000K	27
CLEAR 6W 2200K	27
CLEAR 6W 2700K	27

G9

AMBER 3W 2000K	30
CLEAR 3W 2200K	30
CLEAR 3W 2700K	30
FROSTED 3W 2200K	30
FROSTED 3W 2700K	30

CAPSULE G4

CLEAR 1.5W 2700K	31
------------------	----

GU10

2200K 10° / 24° / 36°	32
2700K 10° / 24° / 36°	32
DIM-TO-WARM 24° / 36°	32

CONTACT ZICO LIGHTING

HEAD OFFICE

ZICO LIGHTING
3rd Floor
207 Regent Street
London
W1B 3HH
United Kingdom
+44 (0) 207 223 3087
admin@zico.lighting

EU

C/o Zico Lighting
ETA Logistics GMBH
Lilienthalstrasse 19
Munich Airport
Hallbergmoos,
85399 Germany
+49 69 222224630
admin@zico.lighting

DISTRIBUTORS

AUSTRALIA

Eltad Pty Ltd
Unit 7, Slough Business Park
Rachael Close
Silverwater 2128
Australia
+61 1300 393 311
sales@eltad.com.au

Eltad Pty Ltd
115 Miller St.
Epping VIC 3076
Australia
+61 1300 393 311
sales@eltad.com.au

Eltad Pty
Unit 3, 35 Guthrie Street
Osborne Park WA 6017
Australia
+61 1300 393 311
sales@eltad.com.au

NEW ZEALAND

Elpower NZ
Unit 4 / 1 Hautu Drive
Wiri, Manukau 2104
New Zealand
+64 9250 1110
sales@elpower.co.nz

THAILAND & PHUKET

Mosaic Eins, 43 Thai CC Tower
15th Floor, Room 154
South Sathon Rd,
Yannawa, Sathon
Bangkok 10120, Thailand
+ 66 2 621 8200
service@mosaiceins.com



RESELLERS

ABU DHABI

HUDA Lighting – Abu Dhabi Bayt Al
Al Tawreed Trading LLC Airport Rd
Al Niyadi Bldg Office No 901
P.O. Box 75944, Abu Dhabi UAE
+971 2449 8198
info@hudalighting.com

AZERBAIJAN

PASHA CONSTRUCTION
Port Baku Towers
153 Neftchiler Ave
AZ1010, Baku
Azerbaijan
+994 12 404 4800
RYagubov@pashaconstruction.com

BAHRAIN

Stockline General Trading W.L.L.
Office no 13, Building 706V,
Road no. 1212,
Hamala 1012,
Kingdom of Bahrain
+973 66907062
sales@stocklinebah.com

CHINA

Circle Limited
Flat 4, 1/F Fullagar Ind Bldg
234 Aberdeen Main Rd
Aberdeen
HONG KONG
+852 2870 8106
info@circle-oo.com

DOHA

HUDA Lighting Specialized
Products Suppliers LLC
a1st Floor, Office No. 2
PO Box 22108, Doha, Qatar
+974 4442 6757
yeghya@hudalighting.com

DUBAI

HUDA Lighting – Dubai Bayt Al
Tawreed Trading LLC Umm Suqeim
Rd Al Quoz PO Box 212060
Dubai UAE
+971 4341 1301
yeghya@hudalighting.com

EGYPT

El Huda Lighting
12 Ext of Abd El-Hameed Badawi St –
1172 2nd Floor
Masaken Sheraton
Next to Moror Dept Cairo
+20 2226 99740
nabil@hudalighting.com

FRANCE

Incidence Eclairage
65 Avenue du Général de Gaulle
Champs sur Marne
77420, FRANCE
+33 1 6005 9005
l.noyelle@incidence-eclairage.fr

GREECE

Aktor
25, Ermou Str.
14564 Nea Kifisia, Greece
+30 210 818 5000
pgribabis@aktor.gr

Foss SA Lighting Design
204 Kifisias Ave.
145 62 Kifisia
Athens
Greece
+30 21 0725 0580
dthanasoulas@foss.gr

IRELAND

Britelux Lighting Ltd
1st Floor, 63 Deerpark Road
Mount Merrion
Dublin A94 PN23
Ireland
+353 1 5653685
info@britelux.ie

IRELAND

Lightsource
The Engine Room,
Portview Trade Centre
310 Newtownards Road,
Belfast, BT4 1HE
+44(0)28 9066 6615
sales@thelightsource.co.uk

ITALY

Italiana Handmade
Via F. Magellano 17 –
35010
Trebaseleghe (PD), Italy
+39 049 796 1713
tecnico@italianahandmade.com

JORDAN

HUDA Lighting
Building Technology Suppliers
King Abdullah II Bin Al Hussein
St Kalbouneh Center,
1st Floor
P.O. Box 3360
Amman Jordan
+962 6585 4660
suleiman@hudalighting.com

KUWAIT

HUDA Lighting
Khalid Ibn Al Waleed St
Mazaya Tower, 4th Floor
Office No B-1 Sharq
Kuwait City, Kuwait
+965 2206 0837
qader@hudalighting.com

NETHERLANDS

XO Lights Europe
Burgemeester Le Fevre de
Montignyplein 8
3055NL, Rotterdam,
The Netherlands
+31 613 740 383
info@xocompany.org

NORWAY

CP-Norway AS, Fabrikktgt. 3
5059 Bergen – Norway
Showrom-Prosjektkontor -Oslo
Hovfaret 4b
0275 Oslo– Norway
+47 552 09700
arne.gronsdal@cp-norway.no

PORTUGAL

VistaVerde
Rua Domingos Sequeira 27
4H
1350-119 Lisboa
PORTUGAL
+351 9183 82761
comercial@vistaverde.pt

SAUDI ARABIA

Horizon Moon International Est.
P.O. Box – 69012
Dammam – 31547
Kingdom of Saudi Arabia
+966 533595822
+966 548562699
sales@horizonmie.com

SPAIN

Difusiona
Cervantes nº 10
2º Derecha
28014 Madrid, Spain
+34 91 2307839
ajanin@difusiona.eu

Difusiona
Provençals 94
08019 Barcelona, Spain
+34 93 362 22 79
ajanin@difusiona.eu

SOUTH AFRICA

Light Kinetics (PTY) Ltd.
Unit 8c, Dartfield Park
Wynberg, Sandton
Johannesburg, 2090
South Africa
+2711-728-1249
info@lightkinetics.com

TURKEY

MTM Tur Kim. Ins. San. Tic. Ltd.
KEMPINSKI ASTORIA TOWER
Büyükdere Cad. No:127/A79
Esentepe, 34394, Sisli
Istanbul, TURKEY
+90 212 356 6560
info@mtmyapi.com

VIETNAM

CARA Lighting Solution Co., Ltd.
12-13 Duong N1, Khu TM Nam,
KCX Tan Thuan, P. Tan Thuan Dong,
Q.7, HCM City, Vietnam
+84 (28) 3833 3334
lighting@cara.com.vn

Eurolight Vietnam
184 Hoang Quoc Viet
Hanoi, Vietnam
+84 24 3829 4478
tho.nguyen@eurolight.vn